


S32PA5-M6S Data Sheet



*The pictures are for reference only. All unauthorized reproduction is not recognized and shall be prohibited.

*This file contains all parameter data information for this series of standard models. It does not represent all parameters and data of this series of products. The actual parameter data shall be subject to the specific model signed with the salesperson .

Features:

1. The Freewheeling smart screen adopts full-screen (frameless) capacitive touch technology, which equips with high color gamut, gorgeous and natural colors, high display restoration, and large screen viewing angle.
2. The screen surface is made of anti-glare tempered glass, reaching Mohs level 7 hardness, which is safe and reliable.
3. The device is equipped with a high-reliability lithium-ion battery with a long battery life of 6 hours.
4. The smart screen is equipped with a telescopic mobile stand with a total 180° rotation (Clockwise 90°, Counterclockwise 90°), 52° tilt (Forwards 26°, Backwards 26°), and 15 cm height adjustments to meet multiple demands. The bottom of the stand adopts silent universal wheels, which makes movement easy, fast and low-noise.
5. It supports wireless screen sharing to easily share screens from mobile phone, computer and other devices.
6. Built-in high-power NdFeB cavity speaker.
7. Built-in camera (optional)

Parameters:

LCD Panel	Screen Size	32"
	Back-light	ELED
	Resolution	1920*1080
Capacitive Touch	Touch Screen Type	PCAP
	Surface Process	tempered glass
System Properties	Version	Android 13.0
	CPU	2* Arm Cortex-A75 @ 2GHz+6 * Arm Cortex-A55 @ 1.8GHz
	RAM	8GB
	ROM	128GB
Internet	Wi Fi/Bluetooth	supports dual-band 2.4G/5G and Bluetooth
Peripherals	Speaker	4Ω 5W*2
	Switch	Switch
Rear Input Interface	USB 2.0 *1	*2
	Mini HDMI IN *1	*1
	Type-C	*1
	EARPHONE OUT*1	*1
Charging Interface	DC Plug 5.5*2.5MM	12.6V/4A power input
Adjustments	Up/Down	15 CM
	Rotation (Clockwise/Counterclockwise)	90°
	Tilt (Forwards/Backwards)	26°
Language	OSD Menu	Simplified Chinese, English
Operation Environment	Battery Capacity	21700-11.1V9000mAh
	Rated Power	≤50W
	Operation Temperature	0 ~ 45°C
	Storage Temperature	-10 ~ 50°C
	Working Humidity	≤80% RH (No condensation)
	Warehouse Humidity	≤60% RH (No condensation)

Structure	G.W.	23.6KG
	N.W.	19KG
	Smart Screen Dimension	See dimensional drawings below
	Package Dimension	1378*578*170MM
	Shell Material	Plastic
	Shell Color	White
Accessories	Remote Control	* 1
	Adaptor	* 1
	Certificate of Conformity	* 1
	Warranty Card	* 1
	User Manual	* 1
	Screws	1 Set

Dimension:

